



Blind Solutions[®]

NATURE'S CHOICE SUNLUX[®]
Commercial Aluminium
Venetian Blind Collection

Sunlux® Thermoslat™

- Available in 5 various colours
- Available in 25mm, 35mm & 50mm slats
- A special coating on the concave side that reduces the amount of heat radiation with 90% (emission value 0.08 instead of 0.8)
- With the thermoslat side facing the outside, thermal insulation can be raised by up to 20%
- Facing the inside, solar heat gain can be reduced by up to 15%
- Slat thickness / strength = 0.24mm
- Suitable for internal use



Sunlux® IR Painted Slat™

- Available in 9 various colours
- Available in 16mm, 25mm, 35mm, 50mm & 70mm slats
- The high IR reflection of IR paint allows using a darker colour with an acceptable solar heat reflection
- This reduces glare and expands the freedom for design choices
- G-value can be reduced by up to 20%
- Slat thickness / strength = 0.24mm
- Suitable for internal use



Sunlux® C-60

- Available in 5 various colours – Standard RAL
- 60mm slat
- Light and temperature control inside the room
- Helps to save costs for air conditioning in the summer
- The slats of the C-60 have bent edges and forms a C shape
- Slat thickness / strength = 0.42mm
- Suitable for external use
- Up to 74km/h on the Beaufort scale with blinds guided in rails
- Up to 38km/h on the Beaufort scale with blinds guided in wire



Sunlux® Z-70

- Available in 10 various colours – Standard RAL
- 70mm slat
- Modern appearance
- Perfect down tilt of the slats = maximum shading
- The slats form a Z shape
- Slat thickness / strength = 0.42mm
- Suitable for external use
- Up to 74 km/h on the Beaufort scale with blinds guided in rails
- Up to 38 km/h on the Beaufort scale with Blinds guided in wire



Sunlux® T-80

- Available in 22 various colours – Standard RAL
- 80mm slat
- Modern appearance
- Very low stack of the drawn slats
- Light and temperature control inside the room
- T shaped slat
- Slat thickness / strength = 0.42mm
- Suitable for external use
- Up to 74km/h on the Beaufort scale for blinds guided in rails
- Up to 49km/h on the Beaufort scale for blinds guided in wire



Sunlux® F-80

- Available in 10 various colours – Standard RAL
- 80mm slat
- Low stack – narrow stack of the drawn-up slats
- Helps to save costs for air conditioning in the summer
- C shaped slats without bent edges
- Slat thickness / strength = 0.40mm
- Suitable for external use
- Up to 49 km/h on the Beaufort scale for blinds guided in rails
- Up to 38km/h on the Beaufort scale for blinds guided in wire



Sunlux® C-80

- Available in 22 various colours – Standard RAL
- 80mm slat
- Light and temperature control inside the room
- The higher number of slats in the ladder provides better shading – longer pitch
- The slats of the C-80 have bent edges and forms a C shape
- Slat thickness / strength = 0.42mm
- Suitable for external use
- Up to 61km/h on the Beaufort scale for blinds guided in rails
- Up to 38km/h on the Beaufort scale for blinds guided in wire



Sunlux® C-80 Vental

- Available in 22 various colours – Standard RAL
- 80mm slat
- Light and temperature control inside the room
- The higher number of slats in the ladder provides better shading – longer pitch
- The slats of the C-80 have bent edges and forms a C shape
- Slat thickness / strength = 0.42mm
- Suitable for external use
- Up to 74km/h on the Beaufort scale for blinds guided in rails
- Up to 38km/h on the Beaufort scale for blinds guided in wire



Sunlux® Z-90 Noval

- Available in 22 various colours – Standard RAL
- 90mm slat
- Modern appearance
- Perfect down tilt of the slats – maximum shading
- Helps to save costs for air conditioning in the summer
- Z shaped slat
- Slat thickness / strength = 0.42mm
- Suitable for external use
- Up to 74km/h on the Beaufort scale for blinds guided in rails
- Up to 38km/h on the Beaufort scale for blinds guided in wire





Automation Services

Efficiency – Convenience – End User Comfort



Architectural Products

Efficiency – Convenience – End User Comfort



Blinds

Energy Efficient – Customised Interior & Exterior Shading Solutions




Awnings

Transform Your Deck or Patio Into A Beautiful “Outdoor Room” Where You and Your Family Will Love to Spend Time



Curtains

Modern window treatment that brings a soft touch to your window coverings.



Patio Umbrellas

Corporate Branded - Top Quality For Domestic & Corporate Use



www.blindsolutions.co.za

Blind Solutions®

Lower Level, Block G
Kimbult Industrial Park
Zeiss Road
Laser Park
Honeydew
2170

Tel: +27 (11) 795 4200
Fax: +27 (11) 795 3223

sales@blindsolutions.co.za